Volume 278 1993

Contents

Letters to the Editor

The Galactic Center radio jet
Falcke, H., Mannheim, K., Biermann, P.L. L1

Gravitational microlensing variability caused by small masses
Refsdal, S., Stabell, R. L5

Radiation-hydrodynamic waves in an optically non-grey atmosphere
Zhugzhda, Y.D., Dzhalilov, N.S., Staude, J. L9

New caustic singularities in multiple lens plane gravitational lensing are not stable
Kayser, R., Schramm, T. L13

The new double QSO HE 1104–1805: Gravitational lens with microlensing or binary quasar?
Wisotzki, L., Köhler, T., Kayser, R., Reimers, D. L15

Optical imaging of the gravitational lens system B 1422+231
Remy, M., Surdej, J., Smette, A., Claeskens, J.-F. L19

On the nature of the 25-min periodicity from 4U 0142+614: A nearby, slowly spinning neutron star/Be system?
Mereghetti, S., Stella, L., De Nile, F. L23

Parallactic variation of gravitational lensing and measurement of stellar mass
Hosokawa, M., Ohnishi, K., Fukushima, T., Takeuti, M. L27

Towards a bolometric dark matter detection experiment: underground radioactive background measurements in the 3 keV – 5 MeV energy range with a massive bolometer at 55 mK
Coron, N., Zhou, J.W., de Bellefon, A., Dambier, G., Giraud-Heraud, Y., Goldbach, C., Gonzalez-Mestres, L., Goret, P., Leblanc, J., de Marcillac, P., Nollez, G. L31

First results obtained within the European "LAMA" programme (Large Active Mirrors in Aluminium)
Rozelot, J.P. L35

Optical/UV counterpart of the supersoft transient X-ray source RX J0513.9–6951 in the Large Magellanic Cloud
Pakull, M.W., Motch, C., Bianchi, L., Thomas, H.-C., Guibert, J., Beaulieu, J.P., Grison, P., Schaeidt, S. L39

Low-mass X-ray binary models for the supersoft X-ray sources CAL 83, CAL 87 and RX J0527.8–6954 in the Large Magellanic Cloud
Kylafis, N.D., Xilouris, E.M. L43

Hubble space telescope astrometric observations of pre-main sequence stars from the HIPPARCOS program
Bernacca, P.L., Lattanzi, M.G., Bucciarelli, B., Bastian, U., Barbaro, G., Pannunzio, R., Badiali, M., Cardini, D., Emanuele, A. L47

Periodicities in the radio emission of UX Arietis?
Neidhöfer, J., Massi, M., Chiuderi-Drago, F. L51

Cosmology

A possible fast growth of adiabatic cosmological perturbations
Mészáros, A. 1

A semi-analytic method for calculating D_A evolution
Zuo, L. 343

Extragalactic astronomy

The relation between BL Lacertae objects and OVV quasars, and the unified model of BL Lacertae objects, FR-I and FR-II (G) radio galaxies
Xie, G.Z., Zhang, Y.H., Fan, J.H., Liu, F.K. 6

HDE 269828: a reddened massive star cluster
Heydari-Malayeri, M., Grebel, E.K., Melnick, J., Jorda, L. 11

Do elliptical galaxies have $r^{1/4}$ brightness profiles?
Burkert, A. 23

The evidence for anisotropy of the ionizing continuum of NGC 4151
Schulz, H., Komossa, S. 29

Automated identification of OB associations in M 31
Magnier, E.A., Battinelli, P., Lewin, W.H.G., Haiman, Z., van Paradijs, J., Hasinger, G., Pietsch, W., Supper, R., Trümper, J. 36

A photometric study of interacting galaxies. II. Analysis of the results
Reshetnikov, V.P., Hagen-Thorn, V.A., Yakovleva, V.A. 351

Resolving the kinematical structure within the nuclear starburst of NGC 253
Muñoz-Tuñon, C., Vilchez, J.M., Castañeda, H.O. 364

The long and short timescale polarization variability of the BL Lacertae object PKS 0109+224
Valtaoja, L., Karttunen, H., Efimov, Y., Shakhovskoy, N.M. 371

X-ray emission from a complete sample of Abell clusters of galaxies
Briel, U.G., Henry, J.P. 379

Recent activity in the optical and radio lightcurves of the blazar 3C 345: indications for a "lighthouse effect" due to jet rotation
Schramm, K.-J., Borgeest, U., Camenzind, M., Wagner, S.J., Bade, N., Dreissigacker, O., Heidt, J., Hoff, W., Kayser, R., Kühl, D., v. Linde, J., Linnert, M.D., Pelt, J., Schramm, T., Sillanpää, A., Takalo, L.O., Valtaoja, E., Vigotti, M. 391

Galactic structure and dynamics

Isotopic anomalies in cosmic rays and the metallicity gradient in the Galaxy
Maeder, A., Meynet, G. 406

Stellar clusters and associations

Membership study in multidimensional data space with an application to the open cluster NGC 6823
Kuznetsov, V.I., Lazorenko, G.A., Lazorenko, P.F. 43

High resolution kinematics of galactic globular clusters. II. On the significance of velocity dispersion measurements
Zaggia, S.R., Capaccioli, M., Piotto, G. 415

Formation, structure and evolution of stars

Rotation, magnetic braking, and dynamos in cool giants and subgiants
Schrijver, C.J., Pols, O.R. 51

The nature of the high latitude B-type binary, SU Piscium
Dufton, P.L., Holmgren, D., Conlon, E.S., Keenan, F.P. 68

Estimates of the accuracy of stellar physical parameters from intercomparison of catalogues
Malyuto, V. 73

Visual binaries among pre-main sequence stars
Reipurth, B., Zinnecker, H. 81

Dynamics of flares on late-type dMe stars. III. Kinetic energy and mass momentum budget of a flare on AD Leonis
Houdebine, E.R., Foing, B.H., Doyle, J.G., Rodonò, M. 109

A systematic search for young binaries in Taurus
Leinert, C., Zinnecker, H., Weitzel, N., Christou, J., Ridgway, S.T., Jameson, R., Haas, M. Lenzen, R. 129

Pulsational behaviour of 44 Tauri
Akan, M.C. 150

The observability of old isolated neutron stars with ROSAT. II. Molecular clouds and deep fields
Colpi, M., Campana, S., Treves, A. 161

Axisymmetric rotating relativistic bodies: a new numerical approach for "exact" solutions
Bonazzola, S., Gourgoulhon, E., Salgado, M., Marck, J.A. 421

Photon spectrum and period evolution of GX 1+4 as observed at hard X-ray energies by SIGMA
Laurent, P., Salotti, L., Paul, J., Lebrun, F., Denis, M., Barret, D., Jourdain, E., Roques, J.P., Churazov, E., Gilfanov, M., Sunyaev, R., Diachkov, A., Khavenson, N., Novikov, B., Chulkov, I., Kuznetzov, A. 444

Spot and flare activity of FK Comae Berenices: long-term photometry
Jetsu, L., Pelt, J., Tuominen, I. 449

The spectroscopic orbit of ε Coronae Austrinae, an evolved W Ursae Majoris system
Goecking, K.-D., Duerbeck, H.W. 463

Multifrequency observations of AB Doradus. X-ray flaring and rotational modulation of a young star
Vilhu, O., Tsuru, T., Collier Cameron, A., Budding, E., Banks, T., Slee, B., Ehrenfreund, P., Foing, B.H. 467

Analysis of the DA white dwarf HZ 43 A and its companion star
Napiwotzki, R., Barstow, M.A., Fleming, T., Holweger, H., Jordan, S., Werner, K. 478

Stellar atmospheres

Optical and infrared observations of two oxygen-rich Miras: dust shell modelling as a function of phase
Le Sidaner, P., Le Bertre, T. 167

Low amplitude variability and transient periodicity in FF Andromedae and other active stars
Peres, G., Ventura, R., Pagano, I., Rodonò, M. 179

Circular polarization and variability in the spectra of Herbig Ae/Be stars. I. The Fe II 5018 Å and He I 5876 Å lines of AB Aurigae
Catala, C., Böhm, T., Donati, J.-F., Semel, M. 187

Line blanketing by iron group elements in non-LTE model model atmospheres for hot stars
Dreizler, S., Werner, K. 199

Modification of the nebular environment in symbiotic systems due to colliding winds
Nussbaumer, H., Walder, R. 209

SiS_2 in circumstellar shells
Goebel, J.H. 226

Zeeman–Doppler imaging of active stars. III. Instrumental and technical considerations
Semel, M., Donati, J.-F., Rees, D.E. 231

Cyclotron and Zeeman spectroscopy of MR Serpentis in low and high states of accretion
Schwope, A.D., Beuermann, K., Jordan, S., Thomas, H.-C. 487

Rotational modulation and flares on the RS Canum Venaticorum binary II Pegasi in July/September 1990: spots and flares on II Pegasi
Doyle, J.G., Mathioudakis, M., Murphy, H.M., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H. 499

A new tool to study wave propagation: the Van Hoof effect
Mathias, P., Gillet, D. 511

Activity in late-type stars. IX. The weakest chromosphere M dwarf yet discovered: Gl 105B
Byrne, P.B. 520

Surface imaging of eclipsing binary stars. I. Techniques
Vincent, A., Piskunov, N.E., Tuominen, I. 523

Diffuse matter in space (including HII regions and planetary nebulae)

The structure of G 34.3+0.2 deduced from multitransition molecular line observations of HCO^+
Heaton, B.D., Little, L.T., Yamashita, T., Davies, S.R., Cunningham, C.T., Monteiro, T.S. 238

Kinematics of bipolar planetary nebulae
Corradi, R.L.M., Schwarz, H.E. 247

Near-IR spectroscopy and imaging photometry of M 1–16: bipolar H_2 jets in a post-AGB transition object
Aspin, C., Schwarz, H.E., Smith, M.G., Corradi, R.L.M., Mountain, C.M., Wright, G.S., Ramsay, S.K., Robertson, D., Beard, S.M., Pickup, D.A., Geballe, T.R., Bridger, A., Laird, D., Montgomery, D., Glendinning, R., Pentland, G., Griffin, J.L., Aycock, J. 255

Molecular outflows entrained by jet bowshocks
Raga, A., Cabrit, S. 267

High resolution Na D and K I interstellar profiles towards stars in the globular cluster M4
Kemp, S.N., Bates, B., Lyons, M.A. 542

The Na I/Ca II ratio in the local interstellar medium
Bertin, P., Lallement, R., Ferlet, R., Vidal-Madjar, A. 549

Magnetic buoyancy and the galactic dynamo
Hanasz, M., Lesch, H. 561

Large-scale structure of the R Coronae Australis cloud core
Harju, J., Haikala, L.K., Mattila, K., Mauersberger, R., Booth, R.S., Nordh, H.L. 569

The Sun

Identification and elimination of the residual ambiguity in the sign of observed photospheric magnetic fields
Cuperman, S., Li, J., Semel, M. 279

A flux tube-model for solar prominences
Degenhardt, U., Deinzer, W. 288

(RN) Magnetic field strengths in umbral dots
Wiehr, E., Degenhardt, D. 584

Equilibrium and stability of coronal force-free magnetic field configurations: the case of one ignorable variable
Bruma, C., Cuperman, S. 589

Results from two-dimensional spectroscopic observations of solar granulation with a Fabry-Perot interferometer
Bendlin, C., Volkmer, R. 601

Fourier versus wavelet analysis of solar diameter variability
Vigouroux, A., Delache, P. 607

Phases and amplitudes of acoustic-gravity waves. II. The effects of reflection
Marmolino, C., Severino, G., Deubner, F.-L., Fleck, B. 617

Electron acceleration due to beam flux increase in a converging magnetic field
Karlický, M., Hénoux, J.-C. 627

Large-scale solar plasma rotation around stable sunspots
Lustig, G., Wöhl, H. 637

The solar system

The location of secular resonances close to the 2/1 commensurability
Morbidelli, A., Scholl, H., Froeschlé, C. 644

Celestial mechanics and astrometry

Spectrum of the Bordeaux transit circle residuals
Benevides-Soares, P., Teixeira, R., Réquième, Y. 293

Field astrometry using orthogonal functions
Bienaymé, O. 301

Physical and chemical processes

Can high-energy γ-ray photons escape from the radiation field emitted by an accretion disk?
Bednarek, W. 307

Diffusive particle acceleration by an ensemble of shock waves
Schneider, P. 315

Instruments, data processing, and computational methods

Iterative image reconstruction from the bispectrum
Hofmann, K.-H., Weigelt, G. 328

Shutter-free flatfielding for CCD detectors
Surma, P. 654

Determination of atmospheric refraction from the distortion of the Sun's disc
Győri, L. 659

On the correction of the aberrations of a liquid-mirror telescope observing at large zenith angles
Borra, E.F. 665

(RN) A list of possible interstellar communication channel frequencies for SETI
Blair, D.G., Zadnik, M.G. 669

Papers accepted for publication in A.&A. 340